

# Sagamore Hill National Historic Site

TYPE: 2



(Pre-Restoration)



(Pre-Restoration)

## Description:

- Entrance Hall Room 101

## NPS Catalog Number:

- Frame: #6682
- Frame: #668 SAHI

## Work Scope:

- Remove existing painted finish and refinish with a semi gloss black finish and a UV Resistant protective lacquer top coat. (finish sample to be submitted for approval)
- Add Window film to interior face of glass shield.  
(Product in Review. Will attach cutsheet for approval once appropriate product has been determined.)
- Clean glass shield to remove any surface residue.
- No replacement glass lenses.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. Provide 6 ft. lead with plug.

## Details:

- Floor Mounted Lamp

Approval: \_\_\_\_\_ Date: \_\_\_\_\_

**GRAND LIGHT**

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, CT 06483

PH: 1-800-922-1469 Fax: 203-828-6307

Web: LightRestoration.com

**Project: Sagamore Hill National Historic Site**

Lamp: 1 60 watt A19

Ballast: N/A

Voltage: 120v

Finish: Semi-Gloss Black

**QTY: 1**

**Date: 11/21/13 Type: 2**