

Sagamore Hill National Historic Site

TYPE: 42-43-47-91



(Pre-Restoration)



(Pre-Restoration)

Description:

- Stair Hall Room 201 (42,43)
- Stair Room 202 (47)
- Attic Stair Room 312 (91)

NPS Catalog Number:

- Glass: #42 SAHI 8638
- Glass: #43 SAHI 8627
- Glass: #47 SAHI 8626
- Glass: #91 No #

Work Scope:

- Clean/Walnut blast to remove excess corrosion, lightly burnish existing patina, apply new patina blend to achieve a marbled antique finish as required, application of museum grade wax.
- Clean glass shield to remove any surface residue.
- Provide glass holder and shade to 91 (see attached cutsheets)
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards.

Details:

- Single Wall Bracket With Pull Chain (42,43,47)
- Wall Bracket (91) with thumb turn switch

Approval: _____ Date: _____

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, CT 06483

PH: 1-800-922-1469 Fax: 203-828-6307

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt A19

Ballast: N/A

Voltage: 120v

Finish: Polished Brass

QTY: 4

Date: 03/18/13

Type: 42-43-47-91

Glass Holder Concept



GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt A19

Ballast: N/A

Voltage: 120v

Finish: Polished Brass

QTY: 1

Date: 03/18/13

Type: 91

Sagamore Hill National Historic Site

TYPE: 491

Gas Shade Concept



GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt A19

Ballast: N/A

Voltage: 120v

Finish: Not applicable

QTY: 1

Date: 03/18/13

Type: 91