

Sagamore Hill National Historic Site

TYPE: 51-52



(Pre-Restoration)

Description:

- Mother's Bedroom 204

NPS Catalog Number:

- Frame: #51 204-4
- Frame: Stamped Canopy No #

Work Scope:

- Existing fixture shall be disassembled, strip and clean all parts, replace all defective parts, application of new finish to all new replacement parts to match existing finish.
- Clean glass shield to remove any surface residue.
- Provide new escutcheons (see attached cutsheet)
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards.



(Pre-Restoration)

Details:

- Electrified Gas Bracket

Approval: _____ Date: _____

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, CT 06483

PH: 1-800-922-1469 Fax: 203-828-6307

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt Candelabra

Ballast: N/A

Voltage: 120v

Finish: Antique Brass

QTY: 2

Date: 11/21/13

Type: 51-52

Sagamore Hill National Historic Site

TYPE: 51-52

Escutcheon Concept



- Stamped Brass Escutcheon
- Finish to closely match existing finish

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt Candelabra

Ballast: N/A

Voltage: 120v

Finish: Antique Brass

QTY: 2

Date: 03/18/13

Type: 51-52