

Sagamore Hill National Historic Site

TYPE: 60



(Pre-Restoration)



(Pre-Restoration)

Description:

- Red Bathroom Room 209

NPS Catalog Number:

- Frame: #7001A SAHA

Work Scope:

- Existing fixture shall be disassembled, clean all parts, replace all defective parts, application of new finish to all new replacement parts to match existing finish.
- Clean glass shield to remove any surface residue.
- Wall escutcheon deformed. Provide new wall escutcheon. Attempt to salvage existing.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards.
- New custom wall escutcheon. (Solder existing to new code compliant escutcheon) (see attached cutsheet)

Details:

- Electrified Wall Bracket

Approval: _____ Date: _____

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St, Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-828-6307

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt Candelabra

Ballast: N/A

Voltage: 120v

Finish: Antique Brass

QTY: 1


Date: 11/21/13

Type: 60

Sagamore Hill National Historic Site

TYPE: 60

Escutcheon Concept



- Stamped Brass Escutcheon
- Finish to closely match existing finish

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Sagamore Hill National Historic Site

Lamp: 1 60 watt Candelabra

Ballast: N/A

Voltage: 120v

Finish: Antique Brass

QTY: 1

Date: 03/18/13

Type: 60