

MIT - Chapel
TYPE: EX1



(Pre-Restoration)

Description:

- Existing wall mounted downlight shall be retrofitted with one 8P20D27KFL LED retrofit lamp

Location:

- Exterior

Work Scope:

- Repair all mechanical defects.
- Replace all missing decorative and mechanical components.
- Remove existing exterior finish and refinish with Tiger Drylac 38.
- Remove existing interior and baffle finish and refinish with Akzo Nobel 80-7001 Solar Black Polyester.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. Medium base sockets to be utilized.
- Addition of 2" socket extender.

Approval: _____ Date: _____

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: MIT - Chapel

Lamp: LED 8P20D27KFL

Voltage: 120v

Socket: Medium Base

Ballast: N/A

Finish: Tiger Drylac

38 Exterior/ Akzo Nobel

80-7001 Solar Black

Polyester Interior

Circuits: 1

Shade: N/A

SO#: 70095

QTY: 8

REV: 3

Date: 12/11/14

Type: EX1