

Harvard University - McKinlock Hall

TYPE: AEX02



(Pre-Restoration)

Description:

- Exterior - Courtyard Entrance
- Four sided diffuse glass panel with metal grid accent

Details:

- Wall Mounted Sconce

Work Scope (Lighting Fixture):

- Repair all mechanical defects.
- Replace all missing decorative and mechanical components.
- Fixture to be wired in the field by contractor to factory installed edison base grounded sockets.
- Replace all non-original glass with glass to match original glass. Sandblast interior of glass to provide lamp diffusion and reduce glare.
- Remove existing painted finish and refinish with a semi gloss black finish and a UV Resistance protective lacquer top coat. (finish sample to be submitted for approval)

Work Scope (Transom):

- Removal of existing white paint and refinish entire transom in a semi gloss white. (finish sample to be submitted for approval)
- Lead frame repair and recreation. Replicate all missing parts.
- Glass not to be sandblasted in window.

Approval: _____ Date: _____

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Harvard University - McKinlock Hall

Lamp: 1 26w CFL Medium

Ballast: N/A

Voltage: 120v

Finish: Semi Gloss Black

QTY: 2

Date: 01/16/13 Type: AEX02