

# Harvard University - Dunster House

TYPE: AEX07



(Pre-Restoration)

## Description:

- Traditional Sconce
- Six sided glass panel with metal grid accent with arm bracket

## Location:

- Exterior Door Entry

## Work Scope:

- Repair all mechanical defects.
- Replace all missing decorative and mechanical components.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. Medium base socket to be utilized.
- Replace all non original glass with glass to closely match existing original glass.
- Sandblast the interior side of the glass panels to provide lamp diffusion and reduce glare.
- Remove existing painted finish and refinish with a semi gloss black finish and a UV resistant protective lacquer top coat.
- 6' lead (SOOW Cord) to be supplied at the end of fixture.

Approval: \_\_\_\_\_ Date: \_\_\_\_\_

## GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

## Project: Harvard University - Dunster House

Lamp: CF26w TTT

Ballast: N/A

Shade: N/A

Voltage: 120V

Circuits: 1

Glass: Frosted Seedy

Socket: Medium Base

Finish: Semi Gloss Black

QTY: 2

REV: 3

Date: 1/5/15

Type: AEX07