

Phillips Exeter Academy - Phillips Hall

TYPE: C1



(Pre-Restoration)



(Pre-Restoration)

Description:

- Elting Room

Details:

- Height: 3 1/4"
- Width: 18"
- Overall Height: 5 1/4"

Work Scope:

- Existing fixture shall be refurbished, cleaned, and relamped with compact fluorescent lamps.
- Remove all existing lacquers by chemical. Flo-Strip 1826 (see attached spec sheet)
- Repair scratches, gouges and blemishes on the exterior of Fixture.
- Repair of all mechanical defects.
- Application of protective top coat. Incralac (see attached spec sheet)
- Clean all lenses to remove any surface residue.
- Rewire including new wires, sockets, socket supports, etc with UL listed components.

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Phillips Exeter Academy - Phillips Hall

Lamp: 4 - CF26DT/E/IN/830/ECO

Ballast: Advance ICF2S26H1

Voltage: 120v

Finish: Polished Nickel / Satin Brass

QTY: 6

Date: 5/30/12

Type: C1