

# Phillips Exeter Academy - Phillips Hall

TYPE: P3



(Pre-Restoration)



(Pre-Restoration)

## Description:

- Interior Main Lobby Vestibule

## Details:

- Cage Height:
- Cage Width:
- Overall Height:

## Work Scope:

- Existing fixture shall be refurbished, cleaned, and relamped with compact fluorescent lamps.
- Remove all existing lacquers by chemical. Flo-Strip 1826 (see attached spec sheet)
- Repair scratches, gouges and blemishes on the exterior of Fixture.
- Repair of all mechanical defects.
- Application of protective top coat. Incralac (see attached spec sheet)
- Clean all lenses to remove any surface residue.
- Rewire including new wires, sockets, socket supports, etc with UL listed components.

## GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: [LightRestoration.com](http://LightRestoration.com)

## Project: Phillips Exeter Academy - Phillips Hall

Lamp: 6 - FLE7/2/CAM/827 CF7E41 Ballast: N/A

Voltage: 120v

Finish: Antique Brass

QTY: 1

Date: 5/12/12

Type: P3