

Phillips Exeter Academy - Phillips Hall

TYPE: S4



(Pre-Restoration)



(Pre-Restoration)

Description:

- Exterior Terrace Wall Lantern

Details:

- Cage Height: 21"
- Cage Width: 9 3/4"
- Extension: 14"
- Overall Height: 31 1/2"

Work Scope:

- Existing fixture shall be refurbished, cleaned, and relamped with compact fluorescent lamps.
- Remove all surface residue by chemical. Emerald HD (see attached spec sheet)
- Repair scratches, gouges and blemishes on the exterior of Fixture.
- Repair of all mechanical defects.
- Application of protective top coat. Metal Wax (see attached spec sheet)
- Clean all lenses to remove any surface residue.
- Replacement of 6 broken glass corner , 2 cracked corner panels, 1 cracked large oval panel, 2 oval panels are old replacements and do not match, and 1 panel is replacement solid glass. All replacements will be with similar in kind glass.
- Rewire including new wires, sockets, socket supports, etc with UL listed components.

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

580 Grand Ave. New Haven, CT 06511

PH: 1-800-922-1469 Fax: 203-785-1184

Web: LightRestoration.com

Project: Phillips Exeter Academy - Phillips Hall

Lamp: 1 - CFL, Allow 65W ea.

Ballast: N/A

Voltage: 120v

Finish: Vegegris Patina (natural)

QTY: 2

Date: 5/12/12

Type: S4