

Project: EF New York - Butler Hall

Type: 1



(Pre-Restoration)

Lights: 15

Description: Chandelier

Location:

Work Scope:

- Existing fixture shall be disassembled, media walnut blasted, ultrasonically and hand cleaned to conserve the existing finish. Hand application of 2 - 3 coats of UV resistant protective coating of a museum grade wax.
- The fixture has existing blemishes that we will work to minimize, but in many cases, will remain.
- Ultrasonically and hand clean existing crystal components.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. Candelabra base sockets to be utilized.
- Lamps by others.
- No replacement components.
- Replacement crystal of up to 5% of total. Additional submittals to be provided should the 5% allowance be exceeded.

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: GrandLight.com

Project: EF New York - Butler Hall

Lamp: Non Specified

Socket: Candelabra

S/O #: 71795

Finish: Original

Ballast: N/A

Glass: None

Voltage: 120v

Circuits: 1

Type: Indoor

QTY: 2

VOL:1

Date: 2/22/18

Type: 1