

**Project: EF New York - Butler Hall**  
**Type: 4**



(Pre-Restoration)

**Lights: 3**

**Description:** Pendant

**Location:**

**Work Scope:**

- Existing fixture shall be disassembled, media walnut blasted, ultrasonically and hand cleaned to conserve the existing finish. Hand application of 2 - 3 coats of UV resistant protective coating of a museum grade wax.
- The fixture has existing blemishes that we will work to minimize, but in many cases, will remain.
- Ultrasonically and hand clean existing glass bowl diffuser.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. Medium base sockets to be utilized.
- Lamps by others.
- No replacement components.
- Repaint light cluster in silver.

**GRAND LIGHT**

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: GrandLight.com

**Project: EF New York - Butler Hall**

Lamp: Non Specified

Socket: Medium

S/O #: 71795

Finish: Original

Ballast: N/A

Glass: Clear

Voltage: 120v

Circuits: 1

Type: Indoor

**QTY: 1**

**VOL:1**

**Date: 2/22/18**

**Type: 4**