

**Saints Aedan and Brendan Parish**  
**Type: 5**



(Pre-Restoration)

**Description:** Interior Pendant Sconce  
**Location:** Entry

**Lights:** 1

**Work Scope:**

- Existing fixture shall be disassembled, ultrasonically and hand cleaned to conserve the existing finish. Hand application of 2 - 3 coats of UV resistant protective coating of clear metal wax. The fixture has existing blemishes that we will work to minimize, but in many cases, will remain.
- Refinish (3) chain and top loop assemblies.
- Touch-up (2) fixture bodies with significant finish failure
- Clean (2) Existing glass diffusers.
- Repair all minor mechanical damages/defects.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL standards. (1) Medium base socket for A19 lamps.

**GRAND LIGHT**

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: GrandLight.com

**Project: Saints Aedan and Brendan Parish**

Lamp: (1) LED9A19/827/D/2	Socket: (1) Medium Base	S/O #: 71937
Finish: Iron	Ballast: N/A	Lens: Opal
Voltage: 120v	Circuits: 1	Type: Indoor

**QTY: 2    Vol: Final    Date: 8/2/18    Type: 5**