

**The Jewish Center
Type: 2**



(Typical Pre-Restoration Photograph)

Description: Wall Sconce

Lights: 2

Work Scope:

- Existing fixture shall be disassembled, painted finish removed, and a new two-tone antique brass and satin brass finish applied to all brass components. All steel components will be cleaned and conserved to original finish. Application of UV resistant protective top coating.
- New components will be burnished to match original finish.
- Replace and rewire all electrical components with UL listed products and test in accordance with UL 1598 standards. UL label on all fixtures. Medium base sockets to be utilized.
- Replace all (10) non-original candle holders to closely match existing ones. Production component to be utilized, no replication.
- Repair all minor mechanical defects to glass fitters.

GRAND LIGHT

Historic Lighting Restoration & Custom Lighting

104 Day St. Seymour, Ct 06483

PH: 1-800-922-1469 Fax: 203-785-1184

Web: GrandLight.com

Project: The Jewish Center

Lamp: TBD

Socket: (2) Medium

S/O #: 72161

Finish: Brass

Circuits: 1

Glass: N/A

Voltage: 120v

Material: Brass/Steel

Type: Indoor


QTY: 8

VOL: FINAL

Date: 8/2/19

Type: 2

The Jewish Center
Type: 2



GRAND LIGHT
Historic Lighting Restoration & Custom Lighting
104 Day St. Seymour, Ct 06483
PH: 1-800-922-1469 Fax: 203-785-1184
Web: GrandLight.com

Project: The Jewish Center

Lamp: TBD	Socket: (2) Medium	S/O #: 72161
Finish: Brass	Circuits: 1	Glass: N/A
Voltage: 120v	Material: Brass/Steel	Type: Indoor

QTY: 6 VOL: FINAL Date: 8/2/19 Type: 2